



Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

To,

The VICE PRESIDENT(WORKS)  
DECCAN CEMENTS LIMITED  
6-3-666/B  
SOMAJIGUDA  
HYDERABAD-500 082,,Hyderabad,Telangana-500082

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/TG/IND/266850/2016 dated 11 May 2022. The particulars of the environmental clearance granted to the project are as below.

- EC Identification No.** EC22A009TG150254
- File No.** J-11011/572/2007-IA II (I)
- Project Type** Expansion
- Category** A
- Project/Activity including Schedule No.** 3(b) Cement plants
- Name of Project** Expansion of Cement Plant with clinker production capacity from 1.7 to 3.2 MTPA and cement (OPC/PPC) production from 1.8 to 4.0 MTPA by install a new unit Along with install 15 MW (7MW + 8MW) Waste He
- Name of Company/Organization** DECCAN CEMENTS LIMITED
- Location of Project** Telangana
- TOR Date** 25 Feb 2016

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 06/07/2022

(e-signed)  
Dr. R. B. Lal  
Scientist E  
IA - (Industrial Projects - 1 sector)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*



**F. No. IA- J-11011/572/2007 -IA.II (I)**  
**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(I.A. Division – Industry I sector)**

\*\*\*

**Indira Paryavaran Bhawan**  
**Vayu Wing 3<sup>rd</sup> Floor, Jor Bagh Road,**  
**Aliganj, New Delhi – 110003**

**Dated: 6<sup>th</sup> July, 2022**

To,

**M/s Deccan Cements Limited**  
Khairatabad, Hyderabad, Telangana- 500082  
Email: [venkat.s@deccancements.com](mailto:venkat.s@deccancements.com)

**Subject: Expansion of Cement Plant with increase of production of clinker from 1.7 to 3.2 MTPA, cement from 1.8 to 4.0 MTPA (by installation of new unit (Unit III) & power from 18 to 33 MW (by installation of WHRB Power Plant) by M/s Deccan Cements Ltd., located at Mahankaligudem Village, Palakeedu Mandal, Suryapet District, Telangana- Grant of Environmental Clearance regarding.**

Sir,

This refers to your proposal no. **IA/TG/IND/266850/2016, dated 11/05/2022** received through PARIVESH Portal for grant of **Environmental Clearance (EC)** for the project mentioned above.

2. As per the provisions of the Environment Impact Assessment (EIA) Notification, 2006, the above-mentioned project/activity is covered under category '**A**' of item **3(b) Cement Plants and 1(d) Thermal Power Plants of the EIA Notification, 2006 and appraised at Central Level.**

3. Accordingly, the above-mentioned proposal has been considered in **6<sup>th</sup> meeting of Expert Appraisal Committee (Industry-1 Sector) held on 30-31<sup>st</sup> May, 2022.** The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at <https://parivesh.nic.in>

4. The details of the proposal are as per the EIA/EMP report submitted by the proponent. The salient features of the proposal as presented during the above-mentioned meetings of EAC (Industry 1 Sector) are as under: -

S. No.	Particulars	Details		
a.	Terms of Reference for undertaking EIA study	10.11.2020 and amendment 03.05.2021		
b.	Period of baseline data collection	01 Dec 2020 To 28 Feb 2021		
c.	Date of Public Consultation	09.12.2021		
d.	Action plan to address the PH issues	An amount of Rs. 282 Lakhs have been earmarked to address the issues raised during public hearing. Detail of activities proposed attached as <b>Annexure 1.</b>		
e.	Location of the project	Mahankaligudem Village, Palakeedu Mandal, Suryapet District, Telangana		
f.	Latitude and Longitude of the project site	S.No	Latitude N"	Longitude E"
		1.	16°42'26.82"N	79°43'15.60"E
		2.	16°42'25.63"N	79°43'13.91"E



S. No.	Particulars	Details								
		3.	16°42'30.56"N	79°43'9.23"E						
		4.	16°42'31.32"N	79°42'56.99"E						
		5.	16°42'29.09"N	79°42'56.48"E						
		6.	16°42'29.30"N	79°42'55.80"E						
		7.	16°42'19.69"N	79°42'53.64"E						
		8.	16°42'23.97"N	79°42'45.20"E						
		9.	16°42'24.05"N	79°42'45.32"E						
		10.	16°42'30.53"N	79°42'32.80"E						
		11.	16°42'32.07"N	79°42'32.85"E						
		12.	16°42'37.97"N	79°42'31.51"E						
		13.	16°42'47.93"N	79°42'24.02"E						
		14.	16°42'57.02"N	79°42'29.46"E						
		15.	16°42'53.78"N	79°42'36.41"E						
		16.	16°42'50.21"N	79°42'43.14"E						
		17.	16°42'45.14"N	79°42'54.36"E						
		18.	16°42'44.42"N	79°42'56.42"E						
		19.	16°42'41.07"N	79°43'1.93"E						
		20.	16°42'38.69"N	79°43'4.16"E						
g.	Total land	74.5 Ha.								
h.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014	Present DCL cement plant is located in an area of 53.80 Ha, which has Forest land of 8.02 Ha. Additional land of 20.7 Ha owned by DCL will be used for expansion.								
i.	Existence of habitation & involvement of R&R, if any	There is no habitation and no involvement of R&R.								
j.	Elevation of the project site	87 m above msl								
k.	Involvement of Forest land if any.	Forest land of 8.02 Ha. Stage – I Forest clearance was approved Vide MoEF&CC letter no F. No. 4-TSC182/2021-HYD/116 dated 30 <sup>th</sup> July, 2021								
l.	Water body exists within the project site as well as study area	<b>Project Site:</b> No water Bodies exists in project area <b>Study area</b> 1. Krishna River – 1.14 km – SE 2. Naguleru Vagu – 3.93 km - S 3. Musi River – 3.39 km – WNW 4. Bugga Vagu -4.46 km – W 5. Wazirabad Minor – 7.32 km – W								
m.	Existence of ESZ / ESA / national park / wildlife Sanctuary / biosphere Reserve / tiger reserve / elephant reserve etc. if any within the study area	Nearest Reserved Forests: 1. Ravipahad RF – Adjacent – N; 2. Saidulnam RF – Adjacent - W 3. Wazirabad RF – 3.7 km – W 4. Pasupulabodu RF – 1.0 km – WNW 5. Nirchinta Vagu RF – 2.3km - ENE 6. Mangalabodu RF–3.5km–N; 7. Madinapadu–RF–2.3km–SE 8. Madinapadu – Extension RF – 2.4 km – SSE 9. Gamalapadu RF – 2.6 km – S								
n.	Project cost	Proposed – Rs. 600 Crores INR								
o.	EMP cost	<table border="1"> <thead> <tr> <th>Type</th> <th>Capital (Rs. in Crores)</th> <th>Recurring (Rs. in Crores)</th> </tr> </thead> <tbody> <tr> <td>Proposed</td> <td>60.0</td> <td>1.14</td> </tr> </tbody> </table>	Type	Capital (Rs. in Crores)	Recurring (Rs. in Crores)	Proposed	60.0	1.14		
Type	Capital (Rs. in Crores)	Recurring (Rs. in Crores)								
Proposed	60.0	1.14								
p.	Employment opportunity	170 person								
q.	Water and Power requirement	(Existing + proposed )Water –2617 m <sup>3</sup> /day, Power – 24 MW								



## Unit configuration and capacity:

Cement Plant	Present approved Capacity as per MoEF EC (MTPA)			Capacity after proposed enhancement (MTPA)		
	Clinker	Cement	Power (MW)	Clinker	Cement	Power (MW)
Unit – I	0.5	0.3	18	0.5	0.3	33MW • 18 MW Coal based power plant • 15 MW Waste Heat Recovery Power Plant
Unit – II	1.2	1.5		1.2	1.5	
Unit – III	-	-		1.5	2.2	
<b>Total</b>	<b>1.7</b>	<b>1.8</b>		<b>3.2</b>	<b>4.0</b>	

5. The EAC, in its 6<sup>th</sup> meeting of Expert Appraisal Committee (Industry-1 Sector) held on 30-31<sup>st</sup> May, 2022, based on information and clarifications/information provided by the project proponent and after detailed deliberations **recommended** the proposal for grant of Environment Clearance subject to stipulation of specific and general conditions as detailed in the point below.

6. The MoEF&CC has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 and further amendments thereto and after accepting the recommendations of the Expert Appraisal Committee (Industry-1 Sector) hereby **decided to grant Environment Clearance for instant proposal of M/s. Deccan Cement Limited** under the provisions of EIA Notification, 2006 subject to the following specific conditions and general conditions:

### **A. Specific Conditions:**

- (i) **This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.**
- (ii) The water bodies passing adjacent to project site within the study area shall not be disturbed. Detailed mitigation measures to prevent any impacts on the water bodies needs to be prepared and implemented.
- (iii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iv) The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.
- (v) The activities and the action plan proposed by the project proponent to address the issues raised during public hearing and socio-economic issues in the study area shall be completed as per the schedule presented before the Committee and as described in the EIA report in letter and spirit.
- (vi) Particulate matter emissions from all the stacks shall be less than 30 mg/Nm<sup>3</sup>.
- (vii) Three tier Green Belt shall be developed in a time frame of one year covering 33% of the total land area with native species all along the periphery of the project site of adequate width and tree density shall not be less than 2500 per ha. Survival rate of green belt developed shall be monitored on periodic basis to ensure that damaged plants are replaced with new plants in the subsequent years.



- (viii) 3474 m<sup>3</sup>/day KLD of water requirement after the proposed expansion shall be met from recycling of treated wastewater from the existing and proposed power plant's ETP and Krishna River after obtaining requisite permission from the Competent Authority. No ground water abstraction is permitted.
- (ix) All stockyards shall be having impervious flooring and shall be equipped with water spray system for dust suppression. Stock yards shall also have garland drains to trap the run off material.
- (x) Slip roads shall be provided at the gates and along crossings on main roads.
- (xi) All internal and connecting road to the Highway shall be black topped/ concreted with suitable load in term of Million Standard Axle (MSA) as per IRC guidelines.
- (xii) Performance monitoring of pollution control equipment shall be taken up yearly and compliance status in this regard shall be reported to the concerned Regional Office of the MoEF&CC.
- (xiii) Dioxin and furans shall be monitored twice a year during co-processing of hazardous waste and report shall be submitted to the Regional Office of the MoEF&CC.
- (xiv) Project proponent shall develop separate drainage system for storm water and industrial waste water and effectively prevent the pollution of natural waterbody.
- (xv) Rain water harvesting shall be carried out as per the action plan submitted in the EIA report.
- (xvi) All the recommendations made in the risk assessment report shall be implemented and compliance status in this regard shall be furnished to the Regional Office of the MoEF&CC along with the six monthly compliance report.
- (xvii) A proper action plan must be implemented to dispose of the electronic waste generated in the industry.
- (xviii) The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.

**B. General conditions:**

**I. Statutory compliance:**

- i. **The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/Subordinate legislations, etc., as may be applicable to the project.**

**II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 Continuous Emission Monitoring System (CEMS) at process stacks to monitor stack emission as well as 4 Nos. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.





- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- iii. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- iv. The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash;
- v. The project proponent shall provide wind shelter fence and chemical spraying on the raw material stock piles;
- vi. Ventilation system shall be designed for adequate air changes as per the prevailing norms for all tunnels, motor houses, and cement bagging plants.

### **III. Water quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25<sup>th</sup> August, 2014 (Cement) and subsequent amendment dated 9<sup>th</sup> May, 2016 (Cement) and 10<sup>th</sup> May, 2016 (in case of Co-processing Cement) as amended from time to time; S.O. 3305 (E) dated 7<sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall regularly monitor ground water quality at least twice a year (pre-and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- iv. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
- v. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- vi. The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

### **IV. Noise monitoring and prevention**

- i. Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

### **V. Energy Conservation measures**

- i. Waste heat recovery system shall be provided for kiln and cooler.
- ii. The project proponent makes efforts to achieve power consumption less than 65 units/ton for Portland Pozzolona Cement (PPC) and 85 units/ton for Ordinary Portland Cement (OPC) production and thermal energy consumption of 670 Kcal/Kg of clinker.



- iii. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- iv. Provide the project proponent for LED lights in their offices and residential areas.

#### **VI. Waste management**

- i. Used refractories shall be recycled as far as possible.

#### **VII. Green Belt**

- i. PP shall undertake the backlog and gap filling of greenbelt work@ 2500 plants/hectare in the 2022 monsoon season itself and shall accordingly increase the budget for green belt purpose.
- ii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.
- iii. Project proponent shall submit a study report within six months on De-carbonization program, which would essentially consist of company's carbon emissions, carbon budgeting/ balancing, carbon sequestration activities and carbon capture, use and storage after offsetting strategies. Further, the report shall also contain time bound action plan to reduce its carbon intensity of its operations and supply chains, energy transition pathway from fossil fuels to Renewable energy etc. All these activities/ assessments should be measurable and monitor able with defined time frames.

#### **VIII. Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.
- iii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained.

#### **IX. Environment Management**

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. As part of Corporate Environment Responsibility (CER) activity, company shall adopt six villages namely Ravipahad, Mahankaligudem, Janpahad Darga, Janpahad, Kalmethanda and Sunyapahad based on the socio-economic survey and undertake community developmental activities in consultation with the village Panchayat and the District Administration as committed.
- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.



- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.

## **X. Miscellaneous**

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- ix. The PP shall put all the environment related expenditure, expenditure related to Action Plan on the PH issues, and other commitments made in the EIA/EMP Report etc. in the company web site for the information to public/public domain. The PP shall also put the information on the left over funds allocated to EMP and PH as committed in the earlier ECs and shall be carried out and spent in next three years, in the company web site for the information to public/public domain.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.





- xiii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
  - xiv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  - xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
7. This issues with the approval of the Competent Authority.



**(Dr. R. B. Lal)**  
**Scientist 'E'/Additional Director**  
Tel: 011-20819346  
[Email-rb.lal@nic.in](mailto:Email-rb.lal@nic.in)

**Encl. as above at Annexure –I**

**Copy to: -**

1. The Secretary, Department of Environment, Government of Telangana, Hyderabad.
2. The Secretary, Department of Forests, Government of Telangana, Hyderabad.
3. The Director General of Forest, Ministry of Environment, Forest and Climate Change, New Delhi.
4. The Principal Chief Conservator of Forests, Telangana, Aranya Bhavan, Saifabad, Hyderabad-500004.
5. Inspector General of Forests, Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Vijayawada Green House Complex, Vijayawada, Andhra Pradesh 520010
6. Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
7. Chairman, Telangana State Pollution Control Board, NH65, MRF Colony, RC Reddy Colony, Ramachandra Puram, Hyderabad – 502032.
8. Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001
9. District Collector, Suryapet District, Government of Telangana.
10. Guard File/Record File/Monitoring File/Parivesh Portal



**(Dr. R. B. Lal)**  
**Scientist 'E'/Additional Director**  
Tel: 011-20819346  
[Email-rb.lal@nic.in](mailto:Email-rb.lal@nic.in)



## Action plan as per MoEF&amp;CC O.M. dated 30/09/2020

S. No	Activity	Year			Total (Rs Lakhs)	
		2022-23	2023-24	2024-25		
<b>SWATCH BHARAT</b>						
1	Construction of 30 numbers of toilets 3 villages @ 1 lakhs each Tolietts at Janpahd Dargha,	<b>Physical Nos</b>	10	10	10	<b>30</b>
		@Village	Ravipahad	Mahamkaigudem	Janpahad/ Dargha	
		Budget Rs Lakhs	10	10	10	<b>30</b>
2	Providing LED street lighting with solar panels in 3 villages @ Rs. 25,000/- each	<b>Physical Nos</b>	20	20	20	<b>60</b>
		@Village	Mahamkaligudem (20 nos)	Ravipahad (20 nos)	Janpahad (20)	
		Budget Rs Lakhs	5	5	5	<b>15</b>
<b>EDUCATION</b>						
1	Leveling the site for the BC Gurukul School and site preparation.	<b>Physical Nos</b>	-	1	-	<b>1</b>
		@Village	-	Palakeedu	-	
		Budget Rs Lakhs	-	15	-	<b>15</b>
<b>ROADS DEVELOPMENT</b>						
1	Repair of internal village roads & drainages (Avg. 2 km of internal roads per village @ 15 Lakhs/km) – Villages	<b>Physical Nos</b>	1 km	1km	1km	<b>5</b>
		@Village	Mahmkaligudem	Ravipahad	Janpahad	
		Budget Rs Lakhs	15	15	15	<b>45</b>
2	Repair of Roads and Sign boards	<b>Physical Nos</b>	-	-	-	<b>3</b>
		@Village	Sunypahad	Janpahad dargha-	-	
		Budget Rs Lakhs	20	20	-	<b>40</b>
<b>VILLAGE</b>						
1	Development of Janpahad Rama Temple	<b>Physical Nos</b>	-	1	-	<b>1</b>
		@Village	-	Janpahad	-	
		Budget Rs Lakhs	-	5	-	<b>5</b>
<b>DRINKING WATER</b>						
1	Provision of RO plants for drinking water in 3 villages @5 Lakhs per RO unit	<b>Physical Nos</b>	1	1	1	<b>3</b>
		@Village	Ravipahad	Kalmet thanda	Janpahad	
		Budget Rs Lakhs	5	5	5	<b>15</b>
<b>SKILL DEVELOPMENT</b>						
1	Providing skill development training to ITI & diploma passed local youth (for 15 members) per year in plants for a span of one year. Three batches of 12 each for 3 years. Monthly stipend @ Rs. 8150/pm for 1 year to each of the trainee.	<b>Physical Nos</b>	12 students/year	12 students/year	12 students/year	<b>36</b>
		@Village	<b>Local Youth from 10 km radius</b>			
		Budget Rs Lakhs	12	12	12	<b>36</b>
<b>HEALTH CARE</b>						
1	Medical Camps for Children and women Camp @ 5 Lakhs	<b>Physical Nos</b>	1	1	1	<b>3</b>
		@Village	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	
		Budget Rs Lakhs	5	5	5	<b>15</b>

S. No	Activity		Year			Total (Rs Lakhs)
			2022-23	2023-24	2024-25	
2	Awareness programs on health and sanitation and providing PPEs for need Program @ 1 Lakhs	Physical Numbers	2	2	2	6
		@Village	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	
		Budget Rs Lakhs	2	2	2	6
<b>OTHERS</b>						
1	Plantation under "Telangana ku Haritha Haram" on the roads Sides, land allotted by Dist. Administration and forest departments. Local species Neem, Ravi, Jamun, amla and fruit breed etc – 30000 Saplings @Rs 200 per sapling	Physical Nos	10000 saplings	10000 saplings	10000 saplings -	30000
		@Village	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	Mahmkaligudem, Ravipahad, Janpahad and Local thandas	
		Budget Rs Lakhs	20	20	20	60
<b>TOTAL BUDGET (In lakhs of rupees) – Implementation period - 3 years</b>						<b>282</b>

