

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu, Suryapet (Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

**DECCAN CEMENTS LIMITED**



WORKS : BHAVANIPURAM,  
JANPAHAD (Post.), PIN : 508 218  
PALAKAVEEDU (Mandal),  
SURYAPET Dist. (T.S)  
Phones : 08683 - 229503, 229504  
          : 08683 - 229505, 229507  
Fax : 08683 - 229502  
E-mail: dclfactory@yahoo.com  
CIN : L26942TG1979PLC002500  
Website: www.deccancements.com

DCL:MoEFRO:EC/SEPT2025/PQC/ENV/02

06.11.2025

To

The Inspector General of Forests,  
Ministry of Environment, Forest & Climate Change,  
IRO-Hyderabad,  
3<sup>rd</sup> Floor, Aranya Bhavan,  
Opp:RBI,Saifabad ,Hyderabad  
Telangana- 500004  
iro.hyderabad-moefcc@gov.in

Sub: Submission Status of Compliance for the period "April'2025 to September'2025"

Ref: MoEF No. J-11015/375/2015-IA II (M) Dated 05.01.2017.

Dear Sir,

We are here with enclosing the Status of compliance to Environmental Clearance accorded by Ministry of Environment and Forest Climate Change, vide MoEF No.J-11015/375/2015-IA II(M) dated 05.01.2017 to Deccan Cements Limited, for Bhavanipuram Limestone Mine-3 (183.11 Ha) for enhanced capacity 2.3 MTPA along with enclosures and the compliance also upload in the Deccan Cements web site.

We will be pleased furnished any other information as desired by you.

Thanking you,

Your's faithfully  
For M/s Deccan Cements Limited

Authorized Signatory

cc to : HO ,TGPCB, Hyderabad



REGD. OFFICE : 6-3-666/B, "Deccan Chambers", Somajiguda, Hyderabad - 500 082.  
Phone : +91 (40) 23310168, 23310552, 23310561, 23310599 Fax : +91 40 23318366

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

Status of Environmental Clearances received from MOEF vide MoEF No.J-11015/375/2015-IA II (M) dated 05.01.2017 Bhavanipuram Limestone Mine-3(183.11 Ha), as on Sept'2025.

1. Compliance reports are enclosed herewith for all the conditions stipulated by MoEF.
2. Next report will be sent in June'2026.

**A. Special Conditions**

| S.No | Conditions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Compliance                                                                                                                                                                                                                                                                   |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | The project proponent may ensure the finalization of surface rights of agriculture land and change of land use certificate from the competent Authority ,before starting mining operations as required under law .                                                                                                                                                                                                                                                                                                                                                                                                                    | The total mining area is under reserve forest and covered by the conditions of the Forests (Conservation) Act 1980. Forest clearance has been obtained vide MoEF letter Dated 21. Feb 2012.                                                                                  |
| 2    | The project proponent shall obtain Consent to Operate from state pollution control board Telangana State and effectively implement all the Conditions stipulated therein .                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Consent for operation is obtained from State Pollution control board<br>Vide Order No. No:240525163329 dated 24.07.2024                                                                                                                                                      |
| 3    | Cumulative impact assessment for air quality shall be carried out and the report shall be submitted along with implementaion plan of the suggested mitigation measures to Regional Office of MoEF with in one year                                                                                                                                                                                                                                                                                                                                                                                                                    | Report submitted to RO Chennai in July 2018                                                                                                                                                                                                                                  |
| 4    | The project proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and records maintained ; also,Occupational health check-ups for workers having some ailments like BP, diabetes , habitual smokers, etc .shall be undertaken once in six months and necessary remedial /preventive measures taken accordingly . Reccomendations of National Institute for Labour for ensuring good Occupational Environment for mine workers would also be adopted ; All the old age people of the surrounding villages may be provided medical facilities. | Noted and periodical medical checkup of workers have been carried out in the project once in a year.                                                                                                                                                                         |
| 5    | Transport of minerals shall be done either by dedicated road or it should ensured that the trucks/dumpers carrying the mineral should not be allowed to pass through the villages. The Project Proponent shall ensure that the road may not be damaged due to transportation of the minerals will be as per IRC Guidelines with respective to complying with traffic congestion and desity                                                                                                                                                                                                                                            | Complied as " No village road encountered in the mining operation or mineral transportation" .                                                                                                                                                                               |
| 6    | Implementation of Action Plan on the issues raised during the Public Hearing.The Proponent shall complete all the tasks as per the Action Plan submitted with the budgetary provisions during the Public Hearing .                                                                                                                                                                                                                                                                                                                                                                                                                    | Noted and will be complied as per the action plan.                                                                                                                                                                                                                           |
| 7    | The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly . Vehicles with PUCC only will be allowed to ply . The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the minerals shall not be                                                                                                                                                                                                                                                                                                          | All vehicles deployed in mining operation are having valid permit as per Central Motor Vehicle Rules, 1989 and its amendments and are plying under proper supervision. Care has been taken to avoid over loading of ore during transportation, PUC certificate also provided |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

|   |                                                                                                                                                                                                                                     |                                                                                          |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
|   | overloaded. Project should obtain PUC certificate for all the vehicles from authorized pollution testing centre.                                                                                                                    |                                                                                          |
| 8 | The project proponent shall ensure the safeguard and wellbeing of villagers and school, regular health monitoring of all residents in the area and the compliance Reports shall be submitted to the regional Office of the Ministry | Noted and medical checks will be carried out. Compliance reports will be submitted to RO |

### B. Standard Conditions

| S. No | Conditions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Compliance                                                                                                                                                                                                                                            |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.    | A Final Mine closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest and Climate Change 5 years in advance of the Final mine closure for approval.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Noted and will be addressed at the appropriate time.                                                                                                                                                                                                  |
| 2     | No Change in mining technology and scope of working should be made with out prior approval of the Ministry of Environment, Forest and Climate Change.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Noted and will be followed                                                                                                                                                                                                                            |
| 3     | No Change in the calender plan including excavation , quantum of mineral and waste should be made                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Noted and will be followed                                                                                                                                                                                                                            |
| 4     | The project proponent shall obtain necessary prior permission of the competent authorities for drawal of requisite quantity of water ( Surface water and ground water) for the project.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | NOC for Ground Water Abstraction is under progress                                                                                                                                                                                                    |
| 5     | Mining shall be carried out as per provisions outlined in mining plan approved by Indian Bureau of Mines (IBM) State Mines & Geology Departmnet as well as by abiding to the guidelines of Director General Mines Safety (DGMS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Necessary permissions obtained from DGMS, IBM and Mining plan is approved                                                                                                                                                                             |
| 6     | The lands which are not owned by proponent, mining will be carried out only after obtaining the consents from all the concerned land owners as per the provisions of the Mineral Concession Rules, 1960 and MMDR Act, 1957                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | The total mining area is under reserve forest and covered by the conditions of the Forests (Conservation) Act 1980. Forest clearance has been obtained vide MoEF letter Dated 13.9.2013                                                               |
| 7     | Digital processing of the entire lease area using remote sensing technique shall be carried out regularly once in three years for monitoring land use pattem and report submitted to Ministry of Environment , Forest and Climate Change its Regional Office .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Report of Digital processing of the entire lease area using remote sensing technique submitted to the Regional Office, Ministry of Environment , Forest and Climate Change in 2018,2021 and Feb 2025                                                  |
| 8     | The critical parameters as per the Notification 2009 such as PM <sub>10</sub> , PM <sub>2.5</sub> ,NOx and SOx etc. in the ambitent air with in the impact zone , peak particle velocity at 300m distance or within the nearest habitation , whichever is closer shall be monitored periodically. For that, quality of discharged water shall also be monitor [(TDS,DO,PH and Total Suspended Solides (TSS)]. The monitored data shall be uploaded on the web site of the company as well as displayed on adisplay board at the project site at a suitable location near main gate of the company in public domine. The Circular No-J 20012/1/2006-IA-II(M) dated 27.05.2009 issued by Ministry of Environment , Forest and Climate Change shall also be referred in this regard for its compliance . | Critical parameters of ambient air quality are continuously displayed at main gate.<br><br>“Digital Display at the Main Gate for Continuous Ambient air quality & Continuous Stack emission data is provided” at Factory Main Gate for public domain. |
| 9     | The Proponent shall install online Ambient Air Quality Monitoring System and there should be System for display of digital AAQ data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Noted and will be complied ,<br>The continuous online Ambient Air                                                                                                                                                                                     |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                            |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | with in 03 months at least three locations as per the wind directions . Online provisions of P <sup>H</sup> and turbidity meters at discharge points of STP and ETP and also at water storage ponds in the mining area may be made . Project Proponent should display the result digitally in front of the Gate of the mine site .                                                                                                                                                                                                                                                                                                                                                     | Quality monitoring systems are installed as per wind directions and Digital Display Board provided at main gate of the factory for all the said locations                                                                                                                                                                                                                  |
| 10 | Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high level of PM <sub>10</sub> and PM <sub>2.5</sub> such as haul roads , loading and unloading points and transfer points . Fugitive dust emissions from all the source shall be controlled regularly .It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board .                            | Noted and We have engaged M/s. Lawn Enviro Associates for monitoring of Ambient Air Quality data and we are well within the norms as stipulated by the CPCB. Details enclosed in <b>Annexure-I</b><br>We have already taken measures to minimize the fugitive dust emissions like sprinkling of water on roads, Wet Drilling is adopted to control the fugitive emissions. |
| 11 | Regular Monitoring of Ground Water levels and quality shall be carried out in and around the mine lease by establishing a net work of existing wells and constructing new piezometers during the mining operation. The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations . The monitoring shall be carried out four times in a year – pre monsoon (April-May), monsoon (August), post –monsoon (November) and winter (January) and the data thus collected shall be regularly sent to MOEF&CC and Regional office , Central Ground Water Authority and Regional Director, Central Ground Water Board | Ground water is not encountered in the mine pit. However every quarter we are monitoring the ground water quality as well as levels at 4 locations in mine lease area. The monitored data is being submitted to MoEF in every 6 monthly EC compliance.                                                                                                                     |
| 12 | Regular Monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintain. The natural water bodies and or streams which are flowing in and around the village , should not be disturbed. The water Table should be nurtured so as not to go below the pre mining period. In case of any water scarcity in the area , The Project Proponent has to provide water to the villages for their use . A provision for regular monitoring of water table in open dug well located in village should be incorporated to ascertain the impact of mining over ground water table                                  | No Springs and perennial nallahs encountered or flowing through the mine lease.<br>We are providing water to the nearby villages during the peak summer                                                                                                                                                                                                                    |
| 13 | Regular monitoring of water quality upstream and down stream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment and Climate Change and its Regional Office , , Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution control Board and Central pollution Control Board .                                                                                                                                                                                                                                                                                 | Not applicable                                                                                                                                                                                                                                                                                                                                                             |
| 14 | Transport of minerals by road passing through the village shall not be allowed , a 'bypass' road should be constructed ( Say, leaving a gap of at least 200meters ) from the purpose of transportation of the minerals so that the impact of sound , dust and accident could be mitigated. The project proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the project. No road movement should be allowed on existing village road network with out                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                                                                             |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu,Suryapet(Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                             |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
|    | appropriately increasing the carrying capacity of such roads                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                             |
| 15 | The illumination and sound at night at the project sites disturb the villages in respect of both human and animal population . Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed ; by orienting the floodlights/masks away from the villages and keeping the noise levels well within the prescribed limits for Day /Night hours | Noted. No mining operations are carried out during the night time and we operate only as per the IBM approved plan.                         |
| 16 | Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers . Crusher and material transfer points should invariably be provided with Bag filter and dry fogging system , belt-conveyors should be fully covered to avoid air borne dust;                                                                                                                                                                                                   | Complied. We have provided permanent water sprinklers along main haul road. Water Tanker (12 KL Capacity) is used for wetting other roads.. |
| 17 | Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. The material transfer point should invariably be provided with Bag filter and dry fogging system , belt-conveyors should be fully covered to avoid air borne dust; Use of effective sprinkling system to suppress fugitive dust on haul roads and other transport roads shall be ensured.                                                                                      | Complied. We have provided permanent water sprinklers along main haul road. Water Tanker (12 KL Capacity) is used for wetting other roads.  |
| 18 | Sufficient number of Gullies to be provided for the better management of water Regular Monitoring of PH shall be included in the monitoring plan and reports shall be submitted to the Ministry of Environment , Forest & climate Change and its Regional Office on Six monthly basis.                                                                                                                                                                                                                                                                | Noted and will be complied                                                                                                                  |
| 19 | There shall be planning , development and implementing facility of rain water harvesting measures on long term basis and implementation of conservation measures to augment of ground water resources in the area in consultation with Central Ground Water Board.                                                                                                                                                                                                                                                                                    | Noted and implemented                                                                                                                       |
| 20 | The project Proponent has to take care of gullies formed on slopes. Dump mass should be consolidated with proper filling / levelling with help of dozers/Compactors                                                                                                                                                                                                                                                                                                                                                                                   | Not applicable as no dump is maintained as mineral is outcropped                                                                            |
| 21 | The reclamation at waste dump sites shall be ecologically sustainable . Scientific reclamation shall be followed. The local species may be encouraged and species are so chosen that the slope, bottom of the dumps and the top of dumps are able to sustain these species . The aspect of the dump is also a factor which regulates some climatic parameters and allows only species adapted micro climate .                                                                                                                                         | Not applicable as no waste is generated and no dump is formed.                                                                              |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu, Suryapet (Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                         |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22 | The top soil, if any shall temporarily be stored at earmarked sites(s) only and it should not be kept unutilized for long. The top soil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled and afforested. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of environment, forest and climate change and its regional office on six monthly basis.                                                            | The lime stone is outcropped. Soil available in small pockets and the same is used for plantation.                                                                                      |
| 23 | Catch drains and siltation ponds of appropriate size shall be constructed around the mine working mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilised for watering the mines area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. The drains settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and over burden dumps to prevent run off of water and flow of sediments directly into the river and other water bodies and sump capacity should be designed keeping 50 % safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals. | Two check Dams constructed.                                                                                                                                                             |
| 24 | Plantation shall be raised in a 7.5m wide range green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the roads etc. by planning the native species in consultation with the local DFO/ Agriculture department and as per CPCB guidelines. The density of the trees should be around 2500 plants per ha. Green belt shall be completed within first five years.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Complied. About 1,480 saplings planted in an area of 0.266 Ha between 01.04.2025 to 30.09.2025. Cumulative of around 24,344 saplings planted in an area of 9.026 Ha from the beginning. |
| 25 | Project proponent shall follow the mitigation measures provided in office memorandum No. Z-11013/57/2014-IA-II (M), Dated 29 <sup>th</sup> October, 2014, titled "impact of mining activities on Habitations-Issues related to the mining projects where in habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Noted and complied                                                                                                                                                                      |
| 26 | The project proponent shall make necessary alternative arrangements, where required, in consultation with the state government to provide alternate areas for live stock grazing, if any. In this context, Project proponent should implement the directions of the Hon'ble Supreme Court with regard to acquiring grazing land. The Sparse trees on such grazing ground, which provide mid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Not applicable as the land comes under reserve forest.<br>And we have handed over the compensatory land to Forest department                                                            |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu,Suryapet(Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|    | day shelter from the scorching sun, should be scrupulously guarded against felling and plantation of such trees be promoted.                                                                                                                                                                                                                                                                                                                             |                                                                                                |
| 27 | The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna, if any, spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State forest and Wildlife Department. A copy of action plan shall be submitted to the ministry of Environment, forest and climatic change and its Regional Office | Noted and protective measures as suggested by the Telangana Forest Department are implemented. |
| 28 | At least 2.5% of the total cost of the project shall be earmarked towards the enterprise social commitment (ESC) based on local needs and action plan with financial and physical breakup / details shall be prepared and submitted to the ministry's regional office at Chandigarh. Implementation of such program shall be ensured accordingly in a time bound manner.                                                                                 | Noted and complied                                                                             |
| 29 | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets , mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.                                                                                                   | N A                                                                                            |
| 30 | Measures should be taken for control of noise levels below 85 dba in the work environment. Workers engaged in operations of HEMM, etc should be provided with ear plugs / Muffs.                                                                                                                                                                                                                                                                         | Noted & Complied                                                                               |
| 31 | Industrial waste water (Workshop and waste water from the mine) should be properly collected treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May, 1993 and 31 <sup>st</sup> December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.                                                                                                | Complied                                                                                       |
| 32 | Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.                                                                                                                                                                                                                                                                        | Complied                                                                                       |
| 33 | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the organization.                                                                                                                                                                                                                                                           | Complied <b>Annexure-A</b>                                                                     |
| 34 | The funds earmarked for environment protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the ministry and its Regional Office.                                                                                                                                                                                                                               | Noted, will be Complied                                                                        |
| 35 | The project authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.                                                                                                                                                                                                                                         | Complied                                                                                       |
| 36 | The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the ministry of Environment, Forest and Climate Change, its Regional Office, Central Pollution Control Board and State Pollution Control Board.                                                                                                                                                                 | Noted and will be implemented                                                                  |
| 37 | The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full                                                                                                                                                                                                                                                                                                                   | Noted and accepted                                                                             |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017


|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                              |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
|    | cooperation to the Officer (S) of the Regional Office by furnishing the requisite data / information / monitoring reports.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                              |
| 38 | A copy of clearance letter will be marked to concerned panchyat / Local NGO, if any from whom suggestion / representation has been received while processing the Proposal.                                                                                                                                                                                                                                                                                                                                                                                                                                       | Complied                                                     |
| 39 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District industry centre and collector's office/ Tehsildar's Officer for 30 days.                                                                                                                                                                                                                                                                                                                                                                                                                            | Complied                                                     |
| 40 | The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available eith the State Pollution Control Board and also at website of the Ministry of environment, Forest and climate change at <a href="http://www.environmentclearance.nic.in">www.environmentclearance.nic.in</a> and copy of the Sme should be forwarded to the Regional Office. | Complied<br>"copies" of the news paper is already submitted" |

Thanking you,

Your's faithfully  
For M/s Deccan Cements Limited



Authorized Signatory  
cc to : HO ,TGPCB, Hyderabad



**Annexure -A**


**Environment Management Cell as on 01.09.2025**

| S. No. | Name                  | Designation      | Role EMC    |
|--------|-----------------------|------------------|-------------|
| 01     | N.Srinivasa Raju      | Sr.VP (Works)    | Chairman    |
| 02     | D.Kalyanachakravarthy | GM (Mines)       | Coordinator |
| 03     | KVL Narasimharao      | DGM (P&Qc)       | Organizer   |
| 04     | V.Gopalakrishna       | AGM (CPP)        | Member      |
| 05     | M.Satish              | Sr,Manager (PQC) | Member      |
| 06     | A Rambabu             | Dy.Manager       | Member      |


**ANNEXURE – I (AMBIENT AIR QUALITY DATA)**

| PM10 (µg/ M <sup>3</sup> ) from April'2025 to Sept'2025 |                          |          |        |           |           |             |           |       |       |       |
|---------------------------------------------------------|--------------------------|----------|--------|-----------|-----------|-------------|-----------|-------|-------|-------|
| S No                                                    | Location                 | April'25 | May'25 | June'2025 | July'2025 | August'2025 | Sept'2025 | Min   | Max   | Avg   |
| 1                                                       | Mines Lighting Area      | 65.98    | 69.23  | 69.46     | 73.08     | 64.88       | 68.08     | 64.88 | 73.08 | 68.45 |
| 2                                                       | Approach Road at Mines   | 63.98    | 67.23  | 67.46     | 68.68     | 62.88       | 66.08     | 62.88 | 68.68 | 66.05 |
| 3                                                       | Main Gate (factory Gate) | 52.78    | 56.03  | 56.26     | 65.88     | 51.68       | 54.88     | 51.68 | 65.88 | 56.25 |
| 4                                                       | Magzine Building         | 60.98    | 64.23  | 64.46     | 67.68     | 59.88       | 63.08     | 59.88 | 67.68 | 63.39 |
| 5                                                       | Mahankaligudem Village   | 53.18    | 56.43  | 56.66     | 58.78     | 52.08       | 55.28     | 52.08 | 58.78 | 55.40 |
| 6                                                       | Ravipahad Village        | 52.18    | 55.43  | 55.66     | 58.58     | 51.08       | 54.28     | 51.08 | 58.58 | 54.54 |
| 7                                                       | Janpahad Darga           | 55.88    | 59.13  | 59.36     | 63.68     | 54.78       | 57.98     | 54.78 | 63.68 | 58.47 |
| 8                                                       | Sunayapahad Village      | 53.78    | 57.03  | 57.26     | 64.88     | 52.68       | 55.88     | 52.68 | 64.88 | 56.92 |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017




| PM 2.5 ( $\mu\text{g}/\text{M}^3$ ) from April'2025 to Sept'2025 |                          |          |        |           |           |             |           |       |       |       |
|------------------------------------------------------------------|--------------------------|----------|--------|-----------|-----------|-------------|-----------|-------|-------|-------|
| S No                                                             | Location                 | April'25 | May'25 | June'2025 | July'2025 | August'2025 | Sept'2025 | Min   | Max   | Avg   |
| 1                                                                | Mines Lighting Area      | 38.30    | 31.89  | 30.97     | 30.82     | 35.38       | 39.50     | 30.82 | 39.50 | 34.48 |
| 2                                                                | Approach Road at Mines   | 39.70    | 33.09  | 28.07     | 23.02     | 31.78       | 40.90     | 23.02 | 40.90 | 32.76 |
| 3                                                                | Main Gate (factory Gate) | 39.00    | 38.09  | 26.07     | 24.02     | 30.68       | 40.20     | 24.02 | 40.20 | 33.01 |
| 4                                                                | Magazine Building        | 39.30    | 31.79  | 26.97     | 27.82     | 32.38       | 40.50     | 26.97 | 40.50 | 33.13 |
| 5                                                                | Mahankaligudem Village   | 33.40    | 24.19  | 25.77     | 25.02     | 29.58       | 34.60     | 24.19 | 34.60 | 28.76 |
| 6                                                                | Ravipahad Village        | 31.40    | 25.19  | 24.97     | 22.72     | 27.98       | 32.60     | 22.72 | 32.60 | 27.48 |
| 7                                                                | Janpahad Darga           | 35.40    | 27.79  | 24.37     | 22.92     | 29.38       | 36.60     | 22.92 | 36.60 | 29.41 |
| 8                                                                | Sunayapahad Village      | 33.00    | 26.89  | 28.07     | 25.12     | 32.38       | 34.20     | 25.12 | 34.20 | 29.94 |




Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

| SO <sub>2</sub> (µg/ M <sup>3</sup> ) from April'2025 to Sept'2025 |                          |          |        |           |           |             |           |       |       |       |
|--------------------------------------------------------------------|--------------------------|----------|--------|-----------|-----------|-------------|-----------|-------|-------|-------|
| S No                                                               | Location                 | April'25 | May'25 | June'2025 | July'2025 | August'2025 | Sept'2025 | Min   | Max   | Avg   |
| 1                                                                  | Mines Lighting Area      | 16.50    | 15.63  | 13.46     | 11.38     | 12.74       | 16.30     | 11.38 | 16.50 | 14.34 |
| 2                                                                  | Approach Road at Mines   | 17.20    | 16.33  | 12.96     | 14.38     | 12.04       | 17.00     | 12.04 | 17.20 | 14.99 |
| 3                                                                  | Main Gate (factory Gate) | 17.90    | 15.73  | 13.56     | 12.68     | 12.34       | 17.70     | 12.34 | 17.90 | 14.99 |
| 4                                                                  | Magzine Building         | 19.20    | 17.93  | 13.16     | 12.98     | 11.64       | 19.00     | 11.64 | 19.20 | 15.65 |
| 5                                                                  | Mahankaligudem Village   | 17.90    | 15.03  | 11.86     | 11.38     | 13.04       | 17.70     | 11.38 | 17.90 | 14.49 |
| 6                                                                  | Ravipahad Village        | 17.40    | 15.63  | 12.46     | 13.08     | 11.04       | 17.20     | 11.04 | 17.40 | 14.47 |
| 7                                                                  | Janpahad Darga           | 15.80    | 16.03  | 13.16     | 12.08     | 10.64       | 15.60     | 10.64 | 16.03 | 13.89 |
| 8                                                                  | Sunayapahad Village      | 18.90    | 15.33  | 11.86     | 11.38     | 11.94       | 18.70     | 11.38 | 18.90 | 14.69 |




| NO <sub>x</sub> (µg/ M <sup>3</sup> ) from April'2025 to Sept'2025 |                          |          |        |           |           |             |           |       |       |       |
|--------------------------------------------------------------------|--------------------------|----------|--------|-----------|-----------|-------------|-----------|-------|-------|-------|
| S No                                                               | Location                 | April'25 | May'25 | June'2025 | July'2025 | August'2025 | Sept'2025 | Min   | Max   | Avg   |
| 1                                                                  | Mines Lighting Area      | 22.96    | 23.28  | 20.84     | 25.29     | 21.38       | 20.84     | 20.84 | 25.29 | 22.43 |
| 2                                                                  | Approach Road at Mines   | 23.26    | 23.58  | 21.84     | 26.19     | 21.68       | 21.84     | 21.68 | 26.19 | 23.07 |
| 3                                                                  | Main Gate (factory Gate) | 21.66    | 21.98  | 20.84     | 26.49     | 20.08       | 20.84     | 20.08 | 26.49 | 21.98 |
| 4                                                                  | Magzine Building         | 22.24    | 22.56  | 20.04     | 26.89     | 20.66       | 20.04     | 20.04 | 26.89 | 22.07 |
| 5                                                                  | Mahankaligudem Village   | 22.08    | 22.40  | 20.24     | 29.49     | 20.50       | 20.24     | 20.24 | 29.49 | 22.49 |
| 6                                                                  | Ravipahad Village        | 22.21    | 22.53  | 22.94     | 30.19     | 20.63       | 22.94     | 20.63 | 30.19 | 23.57 |
| 7                                                                  | Janpahad Darga           | 22.24    | 22.56  | 23.94     | 25.79     | 20.66       | 23.94     | 20.66 | 25.79 | 23.19 |
| 8                                                                  | Sunayapahad Village      | 21.76    | 22.08  | 20.24     | 29.19     | 20.18       | 20.24     | 20.18 | 29.19 | 22.28 |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017




**(Third Party Monitoring Reports)**

| PM 10 |                      |        |        |        |        |        |        |     |     |      |
|-------|----------------------|--------|--------|--------|--------|--------|--------|-----|-----|------|
| S No  | Location             | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 | Min | Max | Avg. |
| 1     | ML-3 view point      | 59     | 64     | 58     | 55     | 60     | 63     | 55  | 64  | 59.8 |
| 2     | Haul Road            | 65     | 68     | 60     | 67     | 65     | 66     | 60  | 68  | 65.2 |
| 3     | Factory gate         | 72     | 74     | 71     | 70     | 70     | 69     | 69  | 74  | 71.0 |
| 4     | Magzine building     | 63     | 66     | 64     | 61     | 59     | 61     | 59  | 66  | 62.3 |
| 5     | Mahankaligudam Vill. | 61     | 53     | 56     | 58     | 55     | 58     | 53  | 61  | 56.8 |
| 6     | Ravipahad village    | 56     | 57     | 62     | 54     | 52     | 54     | 52  | 62  | 55.8 |
| 7     | Janpahad Village     | 68     | 60     | 66     | 65     | 63     | 68     | 60  | 68  | 65.0 |
| 8     | Sunypahad village    | 59     | 55     | 59     | 52     | 57     | 56     | 52  | 59  | 56.3 |




Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

| PM 2.5 |                      |        |        |        |        |        |        |     |     |      |
|--------|----------------------|--------|--------|--------|--------|--------|--------|-----|-----|------|
| S No   | Location             | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 | Min | Max | Avg. |
| 1      | ML-3 view point      | 23     | 23     | 20     | 20     | 24     | 25     | 20  | 25  | 22.5 |
| 2      | Haul Road            | 26     | 28     | 23     | 24     | 27     | 27     | 23  | 28  | 25.8 |
| 3      | Factory gate         | 31     | 33     | 31     | 28     | 31     | 30     | 28  | 33  | 30.7 |
| 4      | Magzine building     | 25     | 26     | 26     | 22     | 22     | 23     | 22  | 26  | 24.0 |
| 5      | Mahankaligudam Vill. | 24     | 16     | 18     | 20     | 19     | 22     | 16  | 24  | 19.8 |
| 6      | Ravipahad village    | 20     | 20     | 24     | 18     | 17     | 21     | 17  | 24  | 20.0 |
| 7      | Janpahad Village     | 28     | 22     | 28     | 23     | 25     | 29     | 22  | 29  | 25.8 |
| 8      | Sunypahad village    | 22     | 18     | 22     | 16     | 20     | 20     | 16  | 22  | 19.7 |




| SO2  |                      |        |        |        |        |        |        |     |     |      |
|------|----------------------|--------|--------|--------|--------|--------|--------|-----|-----|------|
| S No | Location             | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 | Min | Max | Avg. |
| 1    | ML-3 view point      | 10     | 12     | 8      | 9      | 6      | 12     | 6   | 12  | 9.5  |
| 2    | Haul Road            | 12     | 13     | 11     | 10     | 9      | 9      | 9   | 13  | 10.7 |
| 3    | Factory gate         | 8      | 10     | 13     | 13     | 12     | 10     | 8   | 13  | 11.0 |
| 4    | Magzine building     | 9      | 7      | 5      | 11     | 10     | 8      | 5   | 11  | 8.3  |
| 5    | Mahankaligudam Vill. | 6      | 9      | 9      | 7      | 8      | 11     | 6   | 11  | 8.3  |
| 6    | Ravipahad village    | 11     | 8      | 7      | 8      | 7      | 6      | 6   | 11  | 7.8  |
| 7    | Janpahad Village     | 13     | 11     | 12     | 11     | 13     | 13     | 11  | 13  | 12.2 |
| 8    | Sunypahad village    | 5      | 6      | 10     | 6      | 5      | 5      | 5   | 10  | 6.2  |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



| Nox  |                      |        |        |        |        |        |        |     |     |      |
|------|----------------------|--------|--------|--------|--------|--------|--------|-----|-----|------|
| S No | Location             | Apr-25 | May-25 | Jun-25 | Jul-25 | Aug-25 | Sep-25 | Min | Max | Avg. |
| 1    | ML-3 view point      | 22     | 24     | 19     | 20     | 16     | 24     | 16  | 24  | 20.8 |
| 2    | Haul Road            | 24     | 26     | 23     | 21     | 19     | 18     | 18  | 26  | 21.8 |
| 3    | Factory gate         | 18     | 20     | 27     | 26     | 24     | 20     | 18  | 27  | 22.5 |
| 4    | Magzine building     | 20     | 17     | 15     | 23     | 21     | 19     | 15  | 23  | 19.2 |
| 5    | Mahankaligudam Vill. | 17     | 19     | 18     | 18     | 18     | 23     | 17  | 23  | 18.8 |
| 6    | Ravipahad village    | 23     | 16     | 17     | 19     | 17     | 16     | 16  | 23  | 18.0 |
| 7    | Janpahad Village     | 26     | 22     | 24     | 22     | 25     | 26     | 22  | 26  | 24.2 |
| 8    | Sunyapahad village   | 15     | 14     | 20     | 16     | 15     | 15     | 14  | 20  | 15.8 |



Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

1. PRE MONSOON


| S.No. | Core Zone  | Location | Well RL<br>(mtrs) | Water Level RL<br>(mtrs) |
|-------|------------|----------|-------------------|--------------------------|
| 1     | GWM Well 1 | North    | 72.75             | 50.8                     |
| 2     | GWM Well 2 | East     | 71.00             | 39.52                    |
| 3     | GWM Well 3 | South    | 64.15             | 60.45                    |
| 4     | GWM Well 4 | West     | 68.15             | 56.5                     |

2. MONSOON

| S.No. | Core Zone  | Location | Well RL<br>(mtrs) | Water Level RL<br>(mtrs) |
|-------|------------|----------|-------------------|--------------------------|
| 1     | GWM Well 1 | North    | 72.75             | 50.86                    |
| 2     | GWM Well 2 | East     | 71.00             | 35.35                    |
| 3     | GWM Well 3 | South    | 64.15             | 63.15                    |
| 4     | GWM Well 4 | West     | 68.15             | 57.9                     |

### ANNEXURE – III NOISE Levels (dB) Report

| Monthly Noise Level (dB) Report from APRIL'2025 TO SEPTEMBER'2025 |                     |          |        |           |           |             |           |     |     |      |
|-------------------------------------------------------------------|---------------------|----------|--------|-----------|-----------|-------------|-----------|-----|-----|------|
| S No                                                              |                     | April'25 | May'25 | June'2025 | July'2025 | August'2025 | Sept'2025 | Min | Max | Avg. |
| 1                                                                 | Shovel              | 75       | 66     | 69        | 77        | 74          | 70        | 66  | 77  | 72   |
| 2                                                                 | Drilling Area       | 74       | 75     | 76        | 77        | 74          | 77        | 74  | 77  | 76   |
| 3                                                                 | Inside Tipper Cabin | 76       | 66     | 70        | 78        | 75          | 68        | 66  | 78  | 72   |
| 4                                                                 | Crusher Hopper      | 74       | 64     | 68        | 76        | 73          | 66        | 64  | 76  | 70   |
| 5                                                                 | Haulage Road        | 68       | 60     | 62        | 72        | 68          | 62        | 60  | 72  | 65   |
| 6                                                                 | Crusher             | 76       | 65     | 70        | 79        | 71          | 67        | 65  | 79  | 71   |



### Third Party Monitoring Reports

| Ambient Noise-Day time    |                     |             |              |
|---------------------------|---------------------|-------------|--------------|
| S No                      | Location            | APR-JUNE'25 | JULY-SEPT'25 |
| 1                         | North-East          | 62          | 60           |
| 2                         | South-West          | 57          | 56           |
| 3                         | East-West           | 64          | 62           |
| 4                         | North-South         | 65          | 63           |
|                           |                     |             |              |
| Ambient Noise-Night Time  |                     |             |              |
| S No                      | Location            | APR-JUNE'25 | JULY-SEPT'25 |
| 1                         | North-East          | 58          | 55           |
| 2                         | South-West          | 52          | 51           |
| 3                         | East-West           | 59          | 57           |
| 4                         | North-South         | 60          | 58           |
|                           |                     |             |              |
| Work Zone Noise -Day Time |                     |             |              |
| S No                      | Location            | APR-JUNE'25 | JULY-SEPT'25 |
| 1                         | Near 470 Excavation | 81          | 83           |
| 2                         | Near Drilling       | 84          | 85           |
| 3                         | Inside Dumper cabin | 76          | 74           |
| 4                         | Near Crusher hopper | 80          | 78           |
| 5                         | Near haul road      | 73          | 75           |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu, Suryapet (Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



## LAWN ENVIRO PRIVATE LIMITED

[Environmental Engineers & Consultants in Pollution Control]

Recognised by MOEF&CC/CPCB under EP Act, GOI, New Delhi & Laboratory Accredited by NABL

### TEST REPORT



ISO 9001, 14001 & 45001  
Certified Company

REF.NO: LAWN/DECCAN-M/2025

Date: 18-9-2025

### AMBIENT NOISE LEVELS DATA

Name of the Industry & : **M/s. DECCAN CEMENTS LTD.,**  
Address **BHAVANIPURAM LIMESTONE MINE-3,**  
**Ravipahad (V), Palakeedu (M),**  
**Suryapet (Dist).**

| Location                          | Noise Levels in dB (A) |            |
|-----------------------------------|------------------------|------------|
|                                   | Day Time               | Night Time |
| 1. North – East side of boundary  | 60                     | 55         |
| 2. South – West side of boundary  | 56                     | 51         |
| 3. East – West side of boundary   | 62                     | 57         |
| 4. North – South side of boundary | 63                     | 58         |

- Note :**
- Noise levels are monitored on 08-9-2025.
  - Instrument make - Lutron SL – 4001 / G-49271, Calibrated On 20-02-2025, Due On 19-02-2026.
  - Day time is reckoned in between 6.0 a.m and 10.0 p.m.; Limit <75 dB (A).
  - Night time is reckoned in between 10.0 p.m and 6.0 a.m.; Limit <70 dB (A).

  
AUTHORISED SIGNATORY

**Corporate Office :** "LAWN HOUSE", #184-C, Vengalrao Nagar, Hyderabad-500038. (T.S.) INDIA. Phone: 66730925, 66730926, Fax: 040-66730926

**Branch Office :** D.No.31-58-103, MIG-71, Phase-7, Road No.4/4, Dwarakapuri Colony, Kurmanapallem, Vishakhapatnam-530046.Tel : 9701505182

Email: lawnenviro@yahoo.co.in, info@lawnenviro.in, URL : www.lawnenviro.in



## LAWN ENVIRO PRIVATE LIMITED

[Environmental Engineers & Consultants in Pollution Control]

Recognised by MOEF&CC/CPCB under EP Act, GOI, New Delhi & Laboratory Accredited by NABL



ISO 9001, 14001 & 45001  
Certified Company

### TEST REPORT

REF.NO: LAWN/DECCAN-M/2025

Date: 18-9-2025

### WORK AREA NOISE LEVELS DATA

Name of the Industry & : **M/s. DECCAN CEMENTS LTD.,**  
Address **BHAVANIPURAM LIMESTONE MINE-3,**  
**Ravipahad (V), Palakeedu (M),**  
**Suryapet (Dist).**

| Location                                   | Levels in dB (A) |
|--------------------------------------------|------------------|
| 1. Near 470 Excavation<br>(At 5m distance) | 83               |
| 2. Near Drill Working<br>(At 5m distance)  | 85               |
| 3. Near Inside Dumper Cabin                | 74               |
| 4. Near Crusher Hopper<br>(At 5m distance) | 78               |
| 5. Near Haulage Road                       | 75               |

- Note:**
- Noise levels are monitored on 08-9-2025 at 8 hrs Exposure.
  - Instrument make - Lutron SL - 4001 / G-49271, Calibrated On 20-02-2025, Due On 19-02-2026.
  - The noise Pollution (Regulation and Control) Rules, 2000  
Schedule, Rule 3(1) and 4(1), Section 7 - (IX) factories act - Limit <90 dB (A).
  - There are no Night operations i.e. beyond 10 p.m

  
AUTHORISED SIGNATORY

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

ANNEXURE – IV  
**Mine Pit Water Consumption Details from APRIL'2025 to SEPT'2025**

| Month Year  | Dust<br>Suppression(KL) | Green belt<br>water (KL) | Domestic<br>Water(KL) | Total<br>Consu<br>mption<br>(KL) | Water<br>Consumption(KL/Da<br>y) |
|-------------|-------------------------|--------------------------|-----------------------|----------------------------------|----------------------------------|
| April'2025  | 4500                    | 1740                     | 380                   | 6620                             | 221                              |
| May'2025    | 4400                    | 1860                     | 370                   | 6630                             | 214                              |
| June'2025   | 4350                    | 1730                     | 390                   | 6470                             | 216                              |
| July'2025   | 4230                    | 1655                     | 375                   | 6260                             | 202                              |
| August'2025 | 4420                    | 1580                     | 380                   | 6380                             | 206                              |
| Sept'2025   | 4250                    | 1620                     | 375                   | 6245                             | 208                              |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad

Palakeedu, Suryapet (Dist). Telangana-508218

MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



## LAWN ENVIRO PRIVATE LIMITED

[Environmental Engineers & Consultants in Pollution Control]

Recognised by MOEF&CC/CPCB under EP Act, GOI, New Delhi & Laboratory Accredited by NABL

### TEST REPORT



ISO 9001, 14001 & 45001  
Certified Company

REF.NO: LAWN/DECCAN-M/2025


Date: 18-9-2025


### WATER TABLE DETAILS

Name of the Industry & :  
Address

**M/s. DECCAN CEMENTS LTD.,**  
**BHAVANIPURAM LIMESTONE MINE-3,**  
Ravipahad (V), Palakeedu (M),  
Suryapet (Dist).

Water table level with reference to existing ground level on 08-9-2025 in ML – 3 Water level is  
9.20 m



  
AUTHORISED SIGNATORY

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



Haul Road wetting with water tanker

### **Wet Drilling at Mines**




Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

**Automatic Water sprinklers at mines haul road for Dust Suppression**



CAAQMS & OCEMS DIGITAL DISPLAY AT FACTORY MAIN GATE  
( Continuous Ambient Air Quality Data & Stack Emission Monitoring )



| DECCAN CEMENTS LIMITED           |          |       |       |
|----------------------------------|----------|-------|-------|
| Online Pollution Emission Levels |          |       |       |
| Stack                            | SOX      | NOX   | SPM   |
| Location                         | (mg/nm3) |       |       |
| KILN-2 RABH                      | 002.8    | 374.6 | 019.5 |
| COOLER-2                         | ---      | ---   | 025.0 |
| COAL MILL-2                      | ---      | ---   | 022.9 |
| CEMENT MILL-3                    | ---      | ---   | 020.1 |

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

### Plantation



### Check Dams



Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



### Medical Camp





## వైద్య పరీక్షలు నిర్వహిస్తున్న బాలాజీ హాస్పిటల్ వైద్యులు

**పాలకవీడు, ఏప్రిల్ 28 (ప్రభుత్వం):** సంపూర్ణ ఆరోగ్యంతో కూడిన కుటుంబ వ్యవస్థ ద్వారానే సుసంపన్న సమాజం ఏర్పడుతుందని డెక్కన్ స్త్రీనివాసరాజు, చీఫ్ జనరల్ మేనేజర్ (పిఆండ్ఎ) నాగమల్లేశ్వరరావు అన్నారు. భవానీపురం లోని డెక్కన్ సిమెంట్ పరిశ్రమ యాజమాన్యం పరిశ్రమ పరిసర గ్రామాల ప్రజల కోసం కర్మాగారపు ఆడిటోరియం నందు ఏర్పాటు చేసిన ఉచిత వైద్య శిబిరాన్ని

శుక్రవారం ప్రారంభించిన సందర్భంగా మాట్లాడారు. ప్రతి ఒక్కరూ తమ ఆరోగ్యాన్ని సంరక్షించుకోవడం ద్వారా కుటుంబ ఆరోగ్య పరిస్థితి మెరుగు పరుచుకోవచ్చు అన్నారు. ఈ వైద్య శిబిరానికి రక్తపోటు, మధుమేహం, ఎముకల వ్యాధులు, మహిళల ఆరోగ్యం, సరాల సంబంధిత సమస్యలు, సాధారణ వ్యాధులతో బాధపడుతున్న దాదాపు 300 మందికి మిర్చాలగూడ పట్టణానికి చెందిన బాలాజీ హాస్పిటల్ వైద్యులు డాక్టర్ అభిషేక్, డాక్టర్ మల్లికార్జున్, డాక్టర్ నాగేందర్, డాక్టర్

- సంపూర్ణ ఆరోగ్యంతో సుసంపన్న సమాజం - డీసీఎల్ వైస్ ప్రెసిడెంట్ శ్రీనివాసరాజు

నవీన్ కుమార్, బాలాజీ హాస్పిటల్ డైరెక్టర్ పోశం సునీత శ్రీనివాస్, చిలుకూరి గోపీనాథ్ మరియు హాస్పిటల్ నిబ్బంది వైద్య సేవలు అందించారు. వైద్య శిబిరానికి వచ్చిన పేషెంట్లకు డీసీఎల్ యాజమాన్యం రవాణా సౌకర్యం, ఆహారం, వైద్య పరీక్షలతో పాటు మందులను కూడా ఉచితంగా పంపిణీ చేసింది.



ఉచిత వైద్య శిబిరాన్ని ప్రారంభిస్తున్న డీసీఎల్ వైస్ ప్రెసిడెంట్ శ్రీనివాసరాజు



ఉచితంగా మందులు పంపిణీ చేస్తున్న డ్యుశం

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu,Suryapet(Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017



# సాక్షి

## ఆరోగ్య తెలంగాణ దిశగా అడుగులు వేయాలి

పాలకవీడు : ఆరోగ్య తెలంగాణ దిశగా ప్రతిఒక్కరూ అడుగులు వేయాలని మండలంలోని డెక్కన్ సిమెంట్ పరిశ్రమ వైస్ ప్రెసిడెంట్ ఎన్.శ్రీనివాసరాజు అన్నారు. బుధవారం పరిశ్రమ సమీపంలో గల ఆడిటోరియంలో ఏర్పాటు చేసిన ఉచిత వైద్య శిబిరాన్ని ప్రారంభించి మాట్లాడారు. మిర్యాల గూడెం పట్టణానికి చెందిన బాలాజీ మల్టీ స్పెషాలిటీ హాస్పిటల్ వైద్యులచే ఆరు గ్రామాలకు చెందిన సుమారు 300 మందికి వైద్య పరీక్షలు పరీక్షలు నిర్వహించి ఉచితంగా మందులు పంపిణీ చేసినట్లు తెలిపారు. ఎముకలు, కంటి, దంత, స్త్రీలకు సంబంధించిన వైద్య పరీక్షలు చేసినట్లు ఆయన



**పాలకవీడు : వైద్య పరీక్షలు చేస్తున్న డాక్టర్**

పేర్కొన్నారు. ఈ కార్యక్రమంలో వైద్య బృందం, సిమెంట్ పరిశ్రమ అధికారులు, సిబ్బంది తదితరులు పాల్గొన్నారు.

Deccan Cements Limited, Bhavanipuram Lime stone Mine -3, Ravipahad  
Palakeedu, Suryapet (Dist). Telangana-508218  
MoEF No: J-11015/375/2015-IA.II (M) dated 05.01.2017

View Point





## MANAGEMENT SYSTEM CERTIFICATE

Certificate no.:  
209107-2015-AQ-IND-RvA

Initial certification date:  
24 August 2018

Valid:  
24 August 2024 – 23 August 2027

This is to certify that the management system of  
**Deccan Cements Limited**  
6-3-666/B, Deccan Chambers, Somajiguda, Hyderabad - 500082, Telangana, India  
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Quality Management System standard:  
**ISO 9001:2015**

This certificate is valid for the following scope:  
**Mining of limestone, manufacture of cement & dispatch of cement and generation of power  
& supply of power**

Place and date:  
Baren drecht, 20 August 2024

For the issuing office:  
DNV - Business Assurance  
Zwaikoweg 1, 2994 LB Baren drecht,  
Netherlands



Efra Kook  
Management Representative

Issued in fullment of conditions as set out in the Certification Agreement may enter this Certificate into the  
ACCREDITED UNIT: DNV Business Assurance R.V., Zwaikoweg 1, 2994 LB, Barendrecht, Netherlands - TEL: +31(0)102626000 [www.dnv.com/assurance](http://www.dnv.com/assurance)



## MANAGEMENT SYSTEM CERTIFICATE

Certificate no.:  
209103-2015-AC-IND-RVA

Initial certification date:  
24 August 2016

Valid:  
24 August 2016 – 23 August 2027

This is to certify that the management system of  
**Deccan Cements Limited**  
6-3-666/B, Deccan Chambers, Somajiguda, Hyderabad - 500082, Telangana, India  
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Environmental Management System standard:  
**ISO 14001:2015**

This certificate is valid for the following scope:  
Mining of limestone, manufacture of cement & dispatch of cement and generation of power  
& supply of power

Place and date:  
Dordrecht, 20 August 2024

For the issuing office:  
DNV - Business Assurance  
Zeeburg 1, 2094 LB Dordrecht,  
Netherlands



Eric Kolk  
Management Representative



## MANAGEMENT SYSTEM CERTIFICATE

Certificate no:  
10000670417-MS-C-RvA4ND

Initial certification date:  
24 August 2018

Valid:  
24 August 2024 – 23 August 2027

This is to certify that the management system of  
**Deccan Cements Limited**  
6-3-666/B, Deccan Chambers, Somajiguda, Hyderabad - 500082, Telangana, India  
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Occupational Health and Safety Management System standard:  
**ISO 45001:2018**

This certificate is valid for the following scope:  
**Mining of limestone, manufacture of cement & dispatch of cement and generation of power  
& supply of power**

Place and date:  
Damen drecht, 20 August 2024

For the issuing office:  
DNV - Business Assurance  
Zeehaven 1, 2994 LB, Damen drecht,  
Netherlands



Efra Kook  
Management Representative

Lack of fulfillment of conditions as set out in the Certification Agreement may render this Certificate invalid.  
ACCREDITED UNIT: DNV Business Assurance B.V., Zeehaven 1, 2994 LB, Rotterdam, Netherlands - TEL: +31(0)102602600 [www.dnv.com/assurance](http://www.dnv.com/assurance)